

AMENDED

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office.....~~JAN 25 1990~~ NEW PRIORITY DATE: JUN 19 1992

Returned to applicant for correction..... FEB 15 1990

Corrected application filed..... MAR 6 1990

Map filed..... MAR 6 1990

The applicant..... Myron Schwartz

6585 Park Street

Street and No. or P.O. Box No.

Las Vegas

City or Town

Nevada 89129

State and Zip Code No.

....., hereby make.... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... Existing well Las Vegas Water Basin

Name of stream, lake, spring, underground or other source

2. The amount of water applied for is..... 0.10 .....second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... Quasi Municipal - Domestic

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 30, T19S, R60E,

Describe as being within a 40-acre subdivision of public

MDM Clark County, Nevada being S 44° 34' 28" W 726.73 to the South one quarter survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

corner of Section 30.

6. Place of use. E $\frac{1}{2}$  SW $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 30, T19S, R60E, MDM, Clark County, Nevada

Describe by legal subdivision. If on unsurveyed land, it should be so stated.

excepting therefrom the S $\frac{1}{2}$  of Parcel 1 of that certain Parcel Map recorded

May 3, 1977 as File 12, Page 70 of Parcel Maps in the Office of the Clark

County, Nevada Recorder.

7. Use will begin about..... January 1 .....and end about..... December 31 ..... of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Existing well pump and piping storage

State manner in which water is to be diverted. i.e. diversion structure, ditches and

tank

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... Existing

10. Estimated time required to construct works.....None  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

7-1/2 acre lots (2 existing and 5 proposed)

This application is to increase appropriation from 2 lots to 7 lots.

By s/Myron R. Schwartz  
Myron R. Schwartz  
5685 Park Street  
Las Vegas, NV 89129

Compared.....bc/ se.....pm/se

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 47530 and 54379 shall not exceed 2.555 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed.....0.10.....cubic feet per second, but not to exceed 1.825

million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....February 16, 1991

Proof of completion of work shall be filed on or before.....March 16, 1991

Application of water to beneficial use shall be made on or before.....February 16, 1992

Proof of the application of water to beneficial use shall be filed on or before.....March 16, 1992

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....FEB 3 1994.....IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED

Proof of beneficial use filed.....State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed.....office, this 9th day of July

Certificate No.....A.D. 19 90

Issued.....

*R. Michael Turnipseed* P.E.  
State Engineer

(0)-5314 (Rev.)  
CANCELLED JUN 5 - 1992 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*R. Michael Turnipseed* P.E.  
STATE ENGINEER  
Can. Rescinded 1-3-93